



INNOVATIVE VERSATILITY





ADVANCED TECHNOLOGY

are the leading
advanced solutions for
technical printing
professionals

Perfect View
Adjustable
12" touchscreen for the ideal viewing and management of system features

KIP has expanded the range of the KIP 75 Series Systems to offer innovative productivity and configuration versatility in a space saving design.

The KIP 75 Series Systems have proven reliability delivering high quality, durable prints at a single touch.




CONFIGURATION VERSATILITY

Space Saving Performance

Near Wall Installation

Fits Where You Need It

Innovative productivity and configuration versatility expands the range of the KIP 75 Series systems to meet the needs of technical printing professionals.





KIP 7572 Printer KIP 7574 Printer



KIP 7582 MFP CIS Scanner KIP 7592 MFP


CCD Scanner*



KIP 7584 MFP CIS Scanner KIP 7594 MFP CCD Scanner*

KIP 75 SERIES

Range of Productivity & Configuration



KIP 7572 Printer KIP 7574 Printer



KIP 7582 MFP CIS Scanner KIP 7592 MFP

CCD Scanner*

00

KIP 7584 MFP CIS Scanner

KIP 7594 MFP CCD Scanner*

KIP 75 SERIES TOUCHSCREEN

Print, Copy and Scan Brilliantly

The KIP touchscreen has smart tablet functions that offer unmatched, easy, and intuitive features to brilliantly automate Print, Copy, and Scan workflow. Preview vivid real-time color images, and use KIP's 8-point Area of Interest for simplified on-screen image editing. Auto de-skew technology ensures the perfect scan or copy to enhance quality and improve workflow. Use the power of KIP Cloud Connect for project collaboration anytime, anywhere.

- ➤ 12" Smart-tablet simplicity
- ➤ Intuitive feature selection
- Vivid color image preview
- Cloud Connect
- Auto De-skew for copy and scan
- Area of Interest image editing
- Workflow automation templates
- One-touch access to features in 12 languages
- Pictorial feature guide
- Touchscreen articulates for the Perfect View



Smart Tablet Simplicity 12" Ultimate Color Display to Copy, Print and Scan with Vivid Color Image Previews and Intuitive Feature Selection for Easy Operation



Auto Deskew Image



Cloud Connect



Area of Interest



KIP 75 SERIES SOFTWARE APPLICATIONS

KIP IMAGEPRO

One Application for all Wide Format Imaging

- > Feature Rich Tool Selection
- ➤ High Definition Viewer
- ➤ Thumbnail Preview
- Quick Access Tool Bar
- Workflow Automation Templates
- ➤ Area of Interest
- Image Clean-up
- Easy Scanned File Renaming
- Secure Print

KIP Windows Driver

WHQL Certified

KIP AutoCAD Driver

Certified integrated printing from Autodesk

Printer Status SNMP

Anywhere, anytime centralized updates

KIP Accounting* – Turn printing into revenue. KIP Accounting consolidates control of user account data and printing rules for all imaging functions.

KIP Cost Center* – Automatically generates visually attractive production reports for user, project and department level accounting data.

KIP Card Reader System* – Secures KIP systems using contactless card reading technology for copy, print and scan functions for workgroups.




KIP Digital Data Security Features


Proven to meet
Department of
Defense specifications.
Data Encryption
and Virus Scanning
compatible.



Exceptional Value - Unmatched Feature Performance Included with KIP 75 Series Systems



High Definition Viewer



Before & After



Scanned File Renaming


KIP 75 SERIES EXCLUSIVE TECHNOLOGIES

High Definition Print (HDP) Technology


KIP HDP is a green technology that is 100% toner efficient, reducing the cost of printing and returning outstanding value and industry leading low cost of ownership. KIP Systems do not employ carriers, developers or waste receptacles that require disposal and replacement.

600 x 2400 dpi – High Resolution

KIP Systems feature crisp, 600 x 2400 dpi printing for sharper details and extremely smooth grayscales. This higher resolution allows the system to enhance curves, diagonal lines and arcs by smoothing out line edges with excellent precision.



600 dpi x 600 dpi



600 dpi x 2400 dpi

Consistent Print Quality


KIP Systems deliver solid blacks, smooth grayscale and uniform print quality from the first to the last page of a print job. Advanced technologies including automatic environmental adjustments and contact-based developer units keep your print quality on track through seasonal climate changes.

Media Capacity


KIP Systems feature a user friendly "End Cap" design for easy loading of media rolls. Media drawers are auto-switching to ensure non-stop print production and maximum media versatility. View media status on the touchscreen.

KIP Scanning Technology

KIP color scanning solutions offer large format CIS technology for quick scanning convenience or CCD high productivity scanning. The 2300 CCD scanner delivers world-class speed and quality with workflow flexibility. Scan originals face up or face down as well as thick mounted originals up to .6 inches. KIP ImagePro offers scanned image clean-up and easy file renaming that saves time and enhances workflow efficiency.



100% toner efficiency Low cost of operation



Highest image durability



End caps for easy changing of media rolls







KIP 75 SERIES INTEGRATED FINISHING

Document Automation

KIP integrated folding and finishing systems automate wide-format document finishing by providing folding, stacking and collation in a compact design.

KIP online stackers & folders intelligently communicate with KIP printers and are fully integrated with KIP software applications & print drivers to provide seamless workflow integration.



The KIPFold 1000 is a compact but powerful online folder designed to easily, conveniently and quickly fan fold documents with KIP 75 Series print systems.

KIPFold 2800

The KIPFold 2800 system automates wide-format document folding requirements by providing folding, stacking and collation in a compact design with quiet operation.



KIP 1200 Stacker



KIPFold 1000





KIPFold 2800





SPECIFICATIONS

General

| Description | Monochrome wide format print/copy/scan with color scanner |
|------------------------------|--|
| Туре | Electrophotography (LED) with organic photoconductor (OPC) and closed toner system |
| Range of Productivity | 10 D or 8 D per minute / 600 or 480 prints per hour |
| Warm Up Time (from cold) | Less than 2 minutes from standby |
| Configurations | Printer / MFP |
| Roll Options | 2 Roll or 4 Roll |
| Output Delivery | Top / Optional Rear |
| Dimensions | 63" (w) x 29" (d) x 63" (h) / 1600 mm x 720 mm x 1600 mm |
| Weight | MFP (4 Roll) 624 lb. / 283 kg Printer (4 Roll) 587 lb. / 266 kg |
| Electrical Requirements | 220V-240V +6% or -10%, 50/60Hz, 13A |
| Power Consumption (Standby) | 430W |
| Power Consumption (Printing) | < 1,500W |
| | |

Printer

| Print Resolution | 600 dpi x 2400 dpi | |
|---------------------|---|--|
| Roll Capacity | 2 Roll or 4 Roll | |
| Output Sizes Width | 11" - 36" | |
| Output Sizes Length | 20' / 6 m (standard), 500'/150 m based on media validation | |
| Paper Weight | Bond 18-24 lb., Vellum/Translucent Bond 18-20 lb., film 3.5 - 4 mil | |
| Media Type | Bond / Vellum / Film | |

Controller

| Controller Type | KIP System K Controller with Windows 7 Embedded |
|---------------------|---|
| Memory | 2GB DDR3 Standard - Upgradable to 4 GB |
| Hard Drive | Minimum 320 GB - Unlimited Upgrade |
| Supported File Type | DWF, PDF, PDF-A, HPGL 1/2, HP-RTL, Calcomp 906/907, CALS Group 4, TIFF Group 4, CIT/TG4, Grayscale TIFF, TIFF Packbits, PNG, JPEG |

Scanner

| CIS / CCD | |
|--|--|
| 600 dpi | |
| TIFF, Multipage TIFF, PDF, PDF-A, Multipage PDF, DWF, JPEG | |
| Local USB (removable media), Mailboxes (local), FTP, SMB Cloud: Google Drive/Dropbox/Box/OneDrive/SharePoint | |
| 11" - 36" / 210 mm to 914 mm | |
| 0.05 mm - 1.60 mm (image quality over 0.25 mm not guaranteed) | |
| | 600 dpi TIFF, Multipage TIFF, PDF, PDF-A, Multipage PDF, DWF, JPEG Local USB (removable media), Mailboxes (local), FTP, SMB Cloud: Google Drive/Dropbox/Box/OneDrive/SharePoint 11" - 36" / 210 mm to 914 mm |



WWW.KIP.COM | 800.252.6793